

# DOUBLE 50 CLOSED

Standing and hanging textile frame

NF-04515	Silver
NF-21515	Black
NF-56515	White



## Colors:



Available in every color on request.


**Application:** Freestanding, suspended from ceiling

**Width:** 44mm

**Length:** 6150mm


**Weight:** 1,039 kilo/meter

**Option:** Sound absorbing felt



Double-sided textile frame, designed for freestanding and / or suspended use. This profile has a double channel, for placing two textile prints in the frame. Various accessories can be applied in a simple way. With the extension sets, every size is possible.

- Suitable for double-sided printing textiles with silicone strip
- Additional reinforcement by heavy lockset
- By the application of foot supports to make free-standing
- Stabilizers for optimum reinforcement
- Ceiling hanger for hanging



#### FK-0200

Each frame is delivered with 8 locksets heavy.




When connecting the frame, first place the lockset (FK-0200) without the punchholes, then the one with punchholes.

#### Optional /




#### FK-0100 / FK-0105 / FK-0110

Footplate for standing. Material: Steel.




\* Down facing frame is the Double 44

#### Optional /




#### FK-0500

If the length of the frame is longer than 4 meters, an extension set (FK- 0500) is included.




These extension sets can be placed in the channels where the frame is cut in half.

#### Optional /




#### FK-0220

When connecting the stabilizer, first place the lockset in the channel.




Then put the stabilizer (NF- 04438) on the lockset, now tighten the screw with the delivered allen key.

**Optional**





**FK-0360**

Suspended from ceiling.



\* Up facing frame is the Double 44



Place the textile print in the frame. Start with the corners and press the silicone strip in the channel.